


Lift parts with at least 2 people

*RECOMMENDATIONS:

- Read instructions before installing
- Keep area clean
- Do not drag the parts
- Do not forget to wear PPE

*PERSONAL PROTECTION EQUIPMENT (PPE)

- Hand Protection
- Eye Protection
- Waist Support Belt



*Tools:









Water level Measuring Tape Pencil

Drill

*Hardware:




STEP #1


ASSEMBLY INSTRUCTIONS

Note: Assembly can be done with 2 people.


- AHK 8170XXYY KC98SL KIT - 8170M6 - 98" Ktchn Cab L-Sink -




Level the Closet(1) with shims. Verify by using Water Level. (Reference Detail A).




Align Upper Cabinet 13"x30 7/8"(2) with closet (1) flush from the Back and attach to wall.




Align Upper Cabinet 30"x20 1/2"(3) with Upper Cabinet 13"x30 7/8" (2) flush from the Top and attach to wall.



Align Upper Cabinet 30"x20 1/2" (4) with Upper Cabinet 30"x20 1/2" (3) flush from the Top and attach to wall.



Align Cooktop Cabinet (5) with Closet (1) flush from the Back and level cabinet with shims.




Align Double Door Cabinet (6) with Cooktop Cabinet (5) flush from the Back and level cabinet with shims.




ASSEMBLY INSTRUCTIONS

Note: Assembly can be done with 2 people.

- AHK 8170XXYY KC98SL KIT - 8170M6 - 98" Ktchn Cab L-Sink -



Align Sink Cabinet (7) with Double Door Cabinet (6) flush from the Back and and level cabinet with shims.



Place Counter Top (8) on Top of Base Cabinets, align flush from the Back and attach with screws.



98" Kithn Cab L-Sink completely assembled